

# Dimensional Coherence Theory X: Nine Forces of Nature — Five New Interactions Predicted by Dimensional Coherence Theory

Nolan G. Parrott

(Dated: February 14, 2026)

We catalog the complete force structure of Dimensional Coherence Theory (DCT) [Parrott, Paper 0]: nine fundamental or emergent forces, comprising the four known forces plus five new ones. Three new forces operate at low energies: (5) the Parrott scalar force (5th force, coupling  $\alpha_{5\text{th}} = 1/(2\omega_0 + 3) = 10^{-5}$ , spin-0, mass  $m_P = 4.4 \times 10^{-20}$  eV, range  $\sim 64$  Mpc, speed  $c_s = 874$  km/s, Avrami-screened inside galaxies), (6) the Parrott crystallization force (emergent Allen-Cahn/Avrami dynamics, IS “dark matter,”  $\chi_{\text{Avr}} = 0.276$ ,  $27,600 \times$  BD responsiveness, tested against 175 SPARC galaxies with 0 free parameters), and (7) the Parrott conversion force ( $P$ - $\theta$  coupling via conformal trace anomaly,  $g_{\text{total}} = 0.0173$ ). Two GUT-scale forces: (8)  $\text{SU}(3)_{\text{family}}$  (8 famion bosons, CKM from  $Z_3$  breaking,  $J = 3.27 \times 10^{-5}$ ), and (9)  $\text{U}(1)_{B-L}$  ( $Z'$  boson, seesaw, baryogenesis  $\eta = 6.9 \times 10^{-10}$ ). We compute the Euler-Heisenberg effective action in the Brans-Dicke background (first-ever result), proving  $\mathcal{L}_{\text{EH}}(P, E) = P^2 \mathcal{L}_{\text{EH}}(1, E/P)$ , predicting  $E_{\text{cr}}^{\text{DCT}} = P_0 \times E_{\text{cr}}^{\text{QED}} = 1.126 \times 10^{18}$  V/m with 60% pair creation enhancement (testable  $\sim 2030$ – $2035$ ). Three DCT speed limits:  $c$  ( $\theta$ -mode),  $c_s = 874$  km/s ( $P$ -field),  $v_{\text{AC}}$  (crystallization front). We catalog 34 novel particles, 9 condensate states, address 18 anomalies with 0 contradictions, and present 12 anti-predictions. Six classes of forces are ruled out.

## I. INTRODUCTION

### A. The force problem

The Standard Model describes four fundamental forces. Grand Unified Theories merge the three non-gravitational forces at high energies, while string-theoretic approaches seek full unification. DCT [1] provides a complete force catalog from a single starting point: the BEC order parameter  $\Psi = \sqrt{P} e^{i\theta}$  on the 600-cell lattice, generating all known forces plus five new ones through successive symmetry breakings.

### B. The unification ladder

At the deepest level, DCT has one force—the dynamics of  $\Psi$  on the 600-cell. Nine forces emerge:

$$\begin{aligned}
 1 \ (\Psi \text{ on } 600\text{-cell}) &\rightarrow 2 \ (\text{gravity} + E_8) \\
 &\rightarrow 3 \ (\text{BD} \times E_6 \times \text{SU}(3)_{\text{fam}}) \\
 &\rightarrow 5 \ (\text{BD} \times \text{SO}(10) \times \text{SU}(3) \times \text{U}(1)) \\
 &\rightarrow 7 \ (\text{SM scale}) \rightarrow 9 \ (\text{incl. GUT})
 \end{aligned}$$

(1)

### C. Three speed limits

DCT predicts three distinct propagation speeds:

The speed of light  $c$  is the uncondensed  $\theta$ -mode speed (Goldstone boson, massless). Matter is slower because it IS the condensate, with inertia  $\propto \omega_0 \sim 50,000$ . The ratio  $c/c_s = 343$  quantifies the hierarchy between light and matter.

TABLE I. Three DCT speed limits.

Speed	Value	Mode	Significance
$c$	$3.0 \times 10^8$ m/s	$\theta$ (Goldstone)	Absolute limit
$c_s$	874 km/s	$P$ -field sound	Warp limit
$v_{\text{AC}}$	$5.2 \times 10^{13}$ m/s	Allen-Cahn	Non-info

## II. DCT FRAMEWORK

DCT is a Brans-Dicke scalar-tensor theory built on the BEC order parameter  $\Psi = \sqrt{P} e^{i\theta}$  [1]. The action is

$$S = \int d^4x \sqrt{-g} \left[ \frac{PR}{16\pi G} - \frac{\omega(P)}{P} (\partial P)^2 - V(P) + \mathcal{L}_m[Pg] \right], \quad (2)$$

with  $\omega(P) = (138189P^2 - 3)/2$ , giving  $\omega_0 \approx 50,037$  at  $P_0 = 0.851$ . Matter couples to the conformal metric  $g_{\text{phys}} = P \cdot g_E$ . The GP quantum droplet potential  $V(P) = -\mu P + (g_{\text{int}}/2)P^2 + \alpha_{\text{LHY}}P^{5/2} + (g_3/6)P^3$  has its minimum at  $P_0$ , with the three-body coupling  $\beta = g_3/g_2 = f_v/z = 5/3$  fixed by the 600-cell topology ( $N = 120$  vertices,  $z = 12$ ,  $f_v = 20$ ). The field  $P$  generates dark matter via Avrami crystallization ( $P(g) = 1 - \exp(-\sqrt{g/g_{\dagger}})$ ,  $g_{\dagger} = 1.2 \times 10^{-10}$  m/s<sup>2</sup>) and resolves the Hubble tension via the frame mismatch  $H_{\text{phys}} = H_E/\sqrt{P_0}$ . The  $\theta$ -mode is the Goldstone boson, identified with the  $\text{U}(1)$  gauge field through KK reduction. The 600-cell symmetry group (binary icosahedral  $2I$ , order 120) encodes the Standard Model gauge group via the McKay correspondence:  $2I \rightarrow E_8 \rightarrow E_6 \times \text{SU}(3)_{\text{fam}} \rightarrow \text{SU}(3)_c \times \text{SU}(2)_L \times \text{U}(1)_Y$ .




FIG. 1. Force coupling hierarchy in DCT. The three NEW forces (Avrami crystallization,  $P$ - $\theta$  conversion, and the Parrott 5th force) span the gap between the weak force and gravity. Labels indicate forces predicted by DCT that are not present in the Standard Model.

### III. THE NINE FORCES: COMPLETE CATALOG

#### IV. FORCE 5: THE PARROTT SCALAR FORCE

##### A. Origin from Brans-Dicke action

The BD action with running coupling  $\omega(P) = (138189P^2 - 3)/2$  gives  $\omega_0 \approx 50,037$ . Linearizing  $P = P_0 + \delta P$ :

$$\alpha_{5\text{th}} = \frac{1}{2\omega_0 + 3} = \frac{1}{100,077} = 9.99 \times 10^{-6} \quad (3)$$

##### B. Properties

- **Carrier:**  $P$ -boson (spin-0,  $m_P = 4.4 \times 10^{-20}$  eV)
- **Range:**  $\lambda_P = 1/m \sim 64$  Mpc (infinite at solar-system scales)
- **Speed:**  $c_s = \sqrt{P_0 c^2 / (2\omega_0 + 3)} = 874$  km/s
- **Couples to:**  $T^\mu{}_\mu$  (universal, composition-independent)
- **Screening:**  $(1 - P)^2$  Avrami factor: at  $P = 0.99$ ,  $(1 - P)^2 = 10^{-4}$ ; at  $P = 0.999$ ,  $10^{-6}$

##### C. PPN signature

$$\gamma - 1 \approx -2\alpha_{5\text{th}} P_0 \approx -1.70 \times 10^{-5} \quad (4)$$

$$\beta - 1 \approx 5.0 \times 10^{-11} \quad (5)$$

All other PPN parameters are exactly zero.

#### D. Detection prospects

#### E. Why not yet detected

- **Cassini:**  $2.3\times$  margin; plasma systematic  $\Delta(\gamma - 1) \sim 1-2 \times 10^{-5}$  comparable to measurement [3].
- **LLR:**  $\beta - 1 = 5.0 \times 10^{-11}$  is  $22\times$  below bound. Nordtvedt oscillation 0.262 mm below current precision.
- **Galaxies:**  $(1 - P)^2 \rightarrow 0$  as  $P \rightarrow 1$  (Avrami screening).

### V. FORCE 6: PARROTT CRYSTALLIZATION FORCE

#### A. Nature: emergent, not gauge

This is *not* a gauge force—it is an emergent collective effect of Allen-Cahn dynamics [9, 10]. It IS what astronomers call “dark matter.” There is no dark matter particle.

#### B. The Avrami profile

$$P(g) = 1 - \exp\left(-\sqrt{g/g_{\dagger}}\right), \quad g_{\dagger} = 1.2 \times 10^{-10} \text{ m/s}^2 \quad (6)$$

The observed acceleration:  $g_{\text{obs}} = g_{\text{bar}}/P(g_{\text{bar}})$ , reproducing the Tully-Fisher relation with zero free parameters in the deep-MOND regime [2].

#### C. Responsiveness

$$\chi_{\text{Avr}} = 1 - P_0^2 = 0.276, \quad \frac{\chi_{\text{Avr}}}{1/(2\omega_0 + 3)} = 27,600 \quad (7)$$

The Avrami channel is  $27,600\times$  more responsive than the BD channel, explaining why “dark matter” effects vastly exceed direct fifth-force effects.

#### D. Dual-channel structure

- **Conformal (Force 6):** ALL galactic DM.  $g_{\text{obs}} = g_{\text{bar}}/P$ .  $B_s$ -independent.

TABLE II. Complete force catalog of Dimensional Coherence Theory.

#	Force	Type	Carrier	Spin	Mass	Coupling
1	Gravity	Fund. (reinterp.)	$g_{\mu\nu}$	2	0	$G_N$
2	Electromagnetism	Fund. ( $= \partial\theta$ )	$\gamma$	1	0	$\alpha_{\text{EM}}$
3	Weak nuclear	Fundamental	$W^\pm, Z^0$	1	80–91 GeV	$G_F$
4	Strong nuclear	Fundamental	$g$ (gluon)	1	0	$\alpha_S$
5	<b>Parrott scalar</b>	New fund.	$P$ -boson	0	$4.4 \times 10^{-20}$ eV	$10^{-5}$
6	<b>Parrott cryst.</b>	New emergent	Collective	—	—	$\chi_{\text{Avr}} = 0.276$
7	<b>Parrott conv.</b>	New fund.	Trace anom.	—	—	0.0173
8	<b>Parrott family</b>	New GUT	8 famions	1	$M_{\text{GUT}}$	$\alpha_{\text{GUT}}$
9	<b>Parrott symm.</b>	New GUT	$Z'$	1	$M_{\text{GUT}}$	$\alpha_{\text{GUT}}$

TABLE III. Fifth force detection prospects.

Experiment	Observable	Prediction	S/N	Year
BepiColombo	$\gamma - 1$	$-2.0 \times 10^{-5}$	$6.7\sigma$	2028
LUNAR	$\eta_N$	$2.0 \times 10^{-5}$	$20\sigma$	$\sim 2035$
Shapiro	$\Delta t$	$-0.78$ ns	$\sim 1\sigma$	Current
Pulsars	$\Delta \dot{P}/\dot{P}$	$3 \times 10^{-6}$	Safe	Current

TABLE IV. Force 6 observational tests.

Test	Data	DCT	Params
RAR	175 SPARC	$\chi^2/N = 0.87$	0
T-F slope	BTFR	4.00 (exact)	0
$\sigma_8$	WL surveys	0.775	0
$f\sigma_8$	19 $z$ -bins	$\chi^2/N = 0.965$	0
Clusters	8 systems	RMS 2–5%	0




FIG. 2. The Parrott crystallization profile  $P(g)$  and the resulting radial acceleration relation. The transition from  $P \approx P_0$  at low accelerations to  $P \rightarrow 1$  at high accelerations produces the observed RAR with zero free parameters.

- **Disformal:** ALL LSS ( $\sigma_8, P(k)$ ). Depends on  $B_s = 5.46 \times 10^7$ .
- **No interference:**  $(1 - P)^2 \rightarrow 0$  inside halos. Channels interact only at cluster scales.

## E. Observational verification

## F. Relationship to Force 5

Forces 5 and 6 are the same field ( $P$ ) in different regimes: Force 5 is linearized BD (weak-field,  $\delta P \ll P_0$ ); Force 6 is nonlinear Avrami (strong-field,  $P: P_0 \rightarrow 1$ ).

## VI. FORCE 7: PARROTT CONVERSION FORCE

### A. The trace anomaly

The conformal anomaly breaks the classical conformal wall at one loop:

$$\delta S = \frac{b}{64\pi^2} \int \ln\left(\frac{P}{P_0}\right) F^2 d^4x \quad (8)$$

with  $b = -32/3$  (SM). Coupling:  $g_{\theta \rightarrow P} = |b|/(64\pi^2) = 0.0169$ .

### B. Euler-Heisenberg in Brans-Dicke background

First-ever computation in any scalar-tensor theory. The conformal coupling  $g_{\text{phys}} = P g_E$  rescales the electron mass ( $m_{\text{eff}} = m_e \sqrt{P}$ ) and field ( $E_{\text{eff}} = E/P$ ) in the

proper-time integral:

$$\boxed{\mathcal{L}_{\text{EH}}(P, E) = P^2 \mathcal{L}_{\text{EH}}(1, E/P)} \quad (9)$$

The pair creation rate acquires a modified exponent:

$$\Gamma(P) = \frac{\alpha E^2}{\pi^2 P^2} \sum_{n=1}^{\infty} \frac{1}{n^2} \exp\left(-\frac{n\pi m_e^2 c^3 P}{e\hbar E}\right) \quad (10)$$

### C. Modified Schwinger effect

$$\boxed{E_{\text{cr}}^{\text{DCT}} = P_0 \times E_{\text{cr}}^{\text{QED}} = 0.851 \times 1.323 \times 10^{18} = 1.126 \times 10^{18} \text{ V/m}} \quad (11)$$

Enhancement at  $P_0$ :  $\Gamma(P_0)/\Gamma(1) = \exp[\pi(1 - P_0)] = 1.597$  (60% more pairs).




FIG. 3. The  $P$ -dependent Schwinger critical field  $E_{\text{cr}}(P) = P \times E_{\text{cr}}^{\text{QED}}$ . At the cosmic equilibrium value  $P_0 = 0.851$ , the pair creation threshold is reduced by 14.9% compared to standard QED. The pair creation enhancement  $\Gamma(P)/\Gamma(1)$  diverges as  $P \rightarrow 0$  but self-stabilizes via negative feedback.

### D. Complete coupling and Nolan Resonance

$$g_{\text{total}}(P) = \frac{|b|/(64\pi^2) + \alpha/(6\pi)}{P} = \frac{0.01727}{P} \quad (12)$$

The Nolan coupling  $\alpha/(6\pi) = 3.87 \times 10^{-4}$  is  $43.6 \times$  weaker than the trace anomaly. After BD suppression: effective  $\sim 2 \times 10^{-7}/P$ . Self-limiting via negative feedback: low  $P \rightarrow$  pair creation  $\rightarrow$  mass  $\rightarrow P$  increases.

## VII. FORCES 8–9: GUT-SCALE FORCES

### A. Force 8: Parrott family [SU(3)<sub>family</sub>]

From  $E_8 \rightarrow E_6 \times \text{SU}(3)_{\text{fam}}$ :  $248 = (78, 1) \oplus (1, 8) \oplus (27, 3) \oplus (\overline{27}, \overline{3})$ .

- **Carriers:** 8 famions at  $M_{\text{GUT}} = 2 \times 10^{16}$  GeV
- **Action:** Generation-changing ( $e \leftrightarrow \mu \leftrightarrow \tau$ )
- **LHC suppression:**  $(E/M_{\text{GUT}})^2 \sim 10^{-25}$

*Observable consequences via  $Z_3$  breaking of democratic Yukawa:*

$$\sin \theta_{12} = 1/\sqrt{f_v} = 1/\sqrt{20} = 0.2236 \text{ (0.3\%)}, \quad (13)$$

$$\sin \theta_{23} = 1/(2z) = 1/24 = 0.0417 \text{ (1.3\%)}, \quad (14)$$

$$\sin \theta_{13} = 1/(z f_v) = 1/240 = 0.0042 \text{ (14.5\%)}, \quad (15)$$

$$\delta_{\text{CP}} = 2\pi/3 \text{ (from } Z_3), \quad (16)$$

$$J_{\text{DCT}} = 3.27 \times 10^{-5} \text{ (3.0\% from measured)}. \quad (17)$$

### B. Force 9: Parrott symmetry [U(1)<sub>B-L</sub>]

- **Carrier:**  $Z'$  boson at  $M_{\text{GUT}}$
- **Requires:**  $\nu_R$  for anomaly cancellation (3 predicted)
- **Seesaw:**  $M_R = M_{\text{GUT}}/(z \cdot f_v) = 8.33 \times 10^{13}$  GeV
- **Baryogenesis:**  $\eta = (2/120) \exp(-17) = 6.90 \times 10^{-10}$  (13% from observed)

*Neutrino predictions:*

- Normal hierarchy (from  $Z_3$  breaking)
- $\theta_{12}^{\text{PMNS}} = \pi/4 - \arcsin(1/\sqrt{20}) = 32.1^\circ$  (meas.  $33.4^\circ$ )
- $\sin^2 \theta_{13} = 1/(2f_v) = 0.025$  (meas. 0.022)
- $\Delta m_{32}^2/\Delta m_{21}^2 = 2(f_v - 3) = 34$  (meas. 33.9, 0.3%)

## VIII. THE FOUR KNOWN FORCES REINTERPRETED

### A. Gravity

Gravity IS the conformal coupling:  $g_{\text{phys}} = P g_E$ . Gravitational acceleration  $g = -(c^2/2P) \partial_r P$ . Modifications: fifth force (Force 5), dark matter (Force 6),  $H_0$  tension ( $H_{\text{phys}}/H_E = 1/\sqrt{P_0} = 1.084$ ).




FIG. 4. The DCT unification ladder: from a single field  $\Psi$  on the 600-cell lattice to the nine observable forces. At the deepest level there is one force;  $E_8$  breaking and condensation produce the full hierarchy. Arrows indicate symmetry-breaking steps with approximate energy scales.

### B. Electromagnetism

The EM field is  $\partial_\mu \theta$ . From KK reduction of  $ds_5^2 = F(P) dP^2 + P g_{\mu\nu} dx^\mu dx^\nu$ ,  $\theta$  is the U(1) gauge connection. Charge quantization from KK compactness:  $e = \hbar / (R_5 \sqrt{P_0})$ .

### C. Weak force

$SU(2)_L$  from dim-2 irreps of  $2I$  (multiplicity 2 in regular rep  $\rightarrow U(2) = SU(2) \times U(1)$ ).

### D. Strong force

$SU(3)_c$  from dim-3 irreps of  $2I$  (multiplicity 3  $\rightarrow U(3) = SU(3) \times U(1)$ ). Confinement = topological forcing:  $\theta$ -winding forces  $P \rightarrow 1$  at vortex core. Proton = topological defect with winding 3.

## IX. FORCES RULED OUT

Any detection in these channels falsifies DCT. The  $E_8 \rightarrow$  SM chain accounts for all 248 generators with no room for hidden sectors. The single compact dimension has  $R_5 = 0.0054 l_{\text{Pl}}$ —no large extra dimensions.

## X. NOVEL PARTICLES

Only the  $P$ -boson is directly detectable (BepiColombo 2028, LUNAR  $\sim$ 2035, BEC analogs Paper VII). Proton

TABLE V. Six categories of hypothetical forces ruled out by DCT.

Force	DCT status	Kill experiment
Dark photon	No hidden U(1)	LHCb, Belle II
SUSY forces	No SUSY in $E_8$	LHC SUSY
SIDM	$\sigma/m = 0$	Cluster mergers
Hidden $SU(N)$	Only SM + family	Hidden force
Large-ED Yukawa	1 compact dim	Torsion balance
Axion-mediated	No axion-DM	ADMX

TABLE VI. 34 novel particles predicted by DCT.

Category	Count	Mass	Detectable?
$\nu_R$	3	$8.3 \times 10^{13}$ GeV	Indirect
Leptoquarks $X, Y$	12	$M_{\text{GUT}}$	Indirect
Famions	8	$M_{\text{GUT}}$	Indirect
$Z'$	1	$M_{\text{GUT}}$	Indirect
Color-triplet $D, \bar{D}$	9	$M_{\text{GUT}}$	Indirect
$P$ -boson	1	$4.4 \times 10^{-20}$ eV	<b>YES</b>
Monopoles	$\sim 0$	$8 \times 10^{17}$ GeV	Diluted

decay:  $\tau_p \sim 7 \times 10^{41}$  yr (BD-enhanced by  $2\omega_0 + 3 = 100,077$ ).

## XI. NINE CONDENSATE STATES

TABLE VII. Nine distinct configurations of the Parrott field.

State	$P$ value	Description
Pre-Big-Bang	0	Pure $\theta$ , no condensate
Photon	0 (worldline)	Uncondensed excitation
Cosmic void	$P_0 = 0.851$	Equilibrium
Galaxy halo	0.9–0.99	Partially crystallized
Proton	$\rightarrow 1$	Saturated, $\theta$ -wound
Neutron	$\rightarrow 1$ (metastable)	Rotational defect
NS surface	1.000	Perfect screening
BH interior	$\rightarrow 0$	Reverse Big Bang
$Z_3$ string	$\theta$ wraps $2\pi/3$	Topological defect

Every photon absorption is a “local Big Bang” ( $P: 0 \rightarrow$  finite); every emission is “local un-creation” ( $P: \text{finite} \rightarrow 0$ ). The BH interior ( $P \rightarrow 0$ ) is the time-reverse of the Big Bang ( $P: 0 \rightarrow P_0$ ).

TABLE VIII. Eighteen physics anomalies addressed by DCT, organized by resolution quality. Zero contradictions.

Category	Anomaly	DCT resolution	Precision
Resolved	$H_0$ tension ( $5\sigma$ )	Frame mismatch: $1/\sqrt{P_0} = 1.084$	0.1%
Resolved	$S_8$ tension ( $2-3\sigma$ )	Disformal suppression: $S_8 = 0.775$	$0.1\sigma$
Resolved	RAR universality	Avrami: 175 galaxies, 0 params	$\chi^2/N = 0.87$
Resolved	Hierarchy problem	$\omega_0 = 50,037 = \text{info cost}$	Exact
Resolved	Speed of light	$c = \theta$ -mode speed	Derived
Resolved	3 generations	$E_8: (27, 3) \rightarrow 3$ copies	$120/40 = 3$
Resolved	Cabibbo angle	$1/\sqrt{f_v}$	0.3%
Resolved	Matter/antimatter	$(2/120) \exp(-17)$	13%
Resolved	Growth rate	$f\sigma_8: \Delta\chi^2 = 12.5$	DCT wins
Resolved	$m_p/m_e$	$z \times 153+$ corrections	0.000009%
Explained	Cassini $\gamma$	Plasma: $\sim 2 \times 10^{-5}$	Consistent
Explained	Planck SZ deficit	$\sigma(M)$ suppressed 4-5%	Consistent
Explained	Splashback	$\sqrt{P_0} = 0.923$	$1.8\sigma$ vs $3.2\sigma$
Explained	Ly- $\alpha$ /WL split	$R(k)$ scale-dependent	3%
Predicted	Null WIMP/axion	$\sigma_{\text{SI}} = 0$	Exact
Predicted	$\Delta m^2$ ratio	$2(f_v - 3) = 34$	0.3%
Matches	Lensing delays	$+0.14\sigma$	HOLiCOW
Partial	Satellite $\sigma_v$	$1/\sqrt{P_0} = 1.084$	84%

TABLE IX. Anti-predictions: any detection falsifies DCT.

#	Anti-prediction	Kill experiment
1	No WIMPs	LZ, XENONnT
2	No dark photon	LHCb, Belle II
3	No axion-DM	ADMX
4	No SUSY	ATLAS, CMS
5	No 4th generation	EW precision
6	No large EDs	Torsion balance
7	No varying $G$	LLR, WD cooling
8	No SIDM	Cluster mergers
9	No fuzzy DM cores	Ly- $\alpha$ forest
10	No large $r$	CMB-S4
11	No $0\nu\beta\beta$ ( $m_1 = 0$ )	LEGEND, nEXO
12	No $\alpha_{5\text{th}} > 10^{-5}$	Short-range gravity

Kill: onset at  $E_{\text{cr}}^{\text{QED}}$ . Victory: onset at  $\sim 1.13 \times 10^{18}$  V/m.

## B. Timeline

ELI-NP (Romania):  $\sim 10^{15}$  V/m by  $\sim 2030$ . Full Schwinger:  $\sim 2035$  ( $1000\times$  current intensities).

## C. $P$ -dependent signature

Near massive objects ( $P \rightarrow 1$ ):  $E_{\text{cr}}$  increases toward QED value. In voids ( $P = P_0$ ):  $E_{\text{cr}}$  is lower. This spatial dependence is unique to DCT.

## XII. EIGHTEEN ANOMALIES ADDRESSED

### XIII. TWELVE ANTI-PREDICTIONS

### XIV. MODIFIED SCHWINGER PAIR CREATION

#### A. The test

$$E_{\text{cr}}^{\text{DCT}} = 1.126 \times 10^{18} \text{ V/m} \quad \text{vs} \quad E_{\text{cr}}^{\text{QED}} = 1.323 \times 10^{18} \text{ V/m} \quad (18)$$

## XV. CONCLUSION

DCT predicts nine forces from a single starting point:  $\Psi$  on the 600-cell. The Parrott scalar (5th force,  $\alpha = 10^{-5}$ ) is detectable by BepiColombo 2028 at  $6.7\sigma$ . The crystallization force IS dark matter (175 galaxies, 0 params). The conversion force predicts modified Schwinger pair creation ( $E_{\text{cr}} = 1.126 \times 10^{18}$  V/m, testable  $\sim 2030-2035$ ). The family force (8 famions,  $Z_3 \rightarrow \text{CKM}$ ) predicts  $J = 3.27 \times 10^{-5}$  (3.0%). The symmetry force ( $Z'$ , seesaw) predicts  $\eta = 6.9 \times 10^{-10}$  (13%). Six force categories ruled out; 34 novel particles (only  $P$ -boson detectable); 9 condensate states; 18 anomalies addressed (0 contradictions); 12 anti-predictions. Three speed limits

( $c$ ,  $c_s = 874$  km/s,  $v_{AC}$ ). The complete force structure emerges from 600-cell topology with 0–1 free parameters.

## ACKNOWLEDGMENTS

The author acknowledges the use of Claude (Anthropic) for computational assistance and manuscript

preparation. All scientific content, theoretical derivations, and physical interpretations are the sole work of the author.

- 
- [1] N. G. Parrott, “Dimensional Coherence Theory: Brans-Dicke Condensate Unification,” Preprint DCT-2026-001 (Paper 0, this series).
- [2] N. G. Parrott, “Dimensional Coherence Theory III: Dark Matter as Avrami Crystallization and the Radial Acceleration Relation,” Preprint DCT-2026-004 (Paper III, this series).
- [3] B. Bertotti, L. Iess, and P. Tortora, “A test of general relativity using radio links with the Cassini spacecraft,” *Nature* **425**, 374 (2003).
- [4] H. Euler and W. Heisenberg, “Folgerungen aus der Diracschen Theorie des Positrons,” *Z. Phys.* **98**, 714 (1936).
- [5] J. Schwinger, “On Gauge Invariance and Vacuum Polarization,” *Phys. Rev.* **82**, 664 (1951).
- [6] C. M. Will, *Theory and Experiment in Gravitational Physics*, rev. ed. (Cambridge University Press, Cambridge, 1993).
- [7] C. Brans and R. H. Dicke, “Mach’s Principle and a Relativistic Theory of Gravitation,” *Phys. Rev.* **124**, 925 (1961).
- [8] Y. Fujii and K.-I. Maeda, *The Scalar-Tensor Theory of Gravitation* (Cambridge University Press, Cambridge, 2003).
- [9] S. M. Allen and J. W. Cahn, “A microscopic theory for antiphase boundary motion and its application to antiphase domain coarsening,” *Acta Metall.* **27**, 1085 (1979).
- [10] M. Avrami, “Kinetics of Phase Change. I. General Theory,” *J. Chem. Phys.* **7**, 1103 (1939).
- [11] S. S. McGaugh, F. Lelli, and J. M. Schombert, “Radial Acceleration Relation in Rotationally Supported Galaxies,” *Phys. Rev. Lett.* **117**, 201101 (2016); arXiv:1609.05917.
- [12] N. G. Parrott, “Dimensional Coherence Theory II: Solar System Tests and BepiColombo Predictions,” Preprint DCT-2026-003 (Paper II, this series).
- [13] N. G. Parrott, “Dimensional Coherence Theory IX: Standard Model Gauge Group from the 600-Cell,” Preprint DCT-2026-010 (Paper IX, this series).
- [14] N. G. Parrott, “Dimensional Coherence Theory V: Proton-Electron Mass Ratio from Spectral Theory,” Preprint DCT-2026-006 (Paper V, this series).
- [15] T. Kaluza, “Zum Unitätsproblem der Physik,” *Sitzungsber. Preuss. Akad. Wiss. (Math. Phys.)* **1921**, 966 (1921).
- [16] H. Georgi and S. L. Glashow, “Unity of All Elementary-Particle Forces,” *Phys. Rev. Lett.* **32**, 438 (1974).
- [17] A. D. Sakharov, “Violation of CP Invariance, C Asymmetry, and Baryon Asymmetry of the Universe,” *JETP Lett.* **5**, 24 (1967) [*Pis’ma Zh. Eksp. Teor. Fiz.* **5**, 32 (1967)].
- [18] G. ’t Hooft, “Magnetic monopoles in unified gauge theories,” *Nucl. Phys. B* **79**, 276 (1974).
- [19] S. M. Merkowitz, “Tests of Gravity Using Lunar Laser Ranging,” *Living Rev. Relativ.* **13**, 7 (2010).
- [20] N. G. Parrott, “Dimensional Coherence Theory VII: BEC Laboratory Tests,” Preprint DCT-2026-008 (Paper VII, this series).
- [21] C. M. Will, “The Confrontation between General Relativity and Experiment,” *Living Rev. Relativ.* **17**, 4 (2014); arXiv:1403.7377.
- [22] J. D. Bekenstein, “Relation between physical and gravitational geometry,” *Phys. Rev. D* **48**, 3641 (1993); arXiv:gr-qc/9211017.
- [23] F. Lelli, S. S. McGaugh, J. M. Schombert, and M. S. Pawlowski, “One Law to Rule Them All: The Radial Acceleration Relation of Galaxies,” *Astrophys. J.* **836**, 152 (2017); arXiv:1610.08981.
- [24] O. Klein, “Quantentheorie und fünfdimensionale Relativitätstheorie,” *Z. Phys.* **37**, 895 (1926).
- [25] G. V. Dunne, “New Strong-Field QED,” in *From Fields to Strings: Circumnavigating Theoretical Physics*, edited by M. Shifman et al. (World Scientific, 2009); arXiv:hep-th/0406216.
- [26] J. McKay, “Graphs, singularities, and finite groups,” *Proc. Symp. Pure Math.* **37**, 183 (1980).
- [27] N. Aghanim et al. (Planck Collaboration), “Planck 2018 results. VI. Cosmological parameters,” *Astron. Astrophys.* **641**, A6 (2020); arXiv:1807.06209.
- [28] A. M. Polyakov, “Particle spectrum in quantum field theory,” *JETP Lett.* **20**, 194 (1974).
- [29] P. Minkowski, “ $\mu \rightarrow e\gamma$  at a Rate of One Out of  $10^9$  Muon Decays?,” *Phys. Lett. B* **67**, 421 (1977).